

Recycle More. Waste Less.

Leamington District Secondary School 80 Oak St W Leamington, Ontario N8H 2B3

2024 Waste Audit

Prepared For:

Rachel Bondy - Energy and Environmental Officer

C 519-796-5718 | T 519-966-0034 X 10560 | rachel.bondy@publicboard.ca Greater Essex County District School Board

This document and its contents are the property of Waste Reduction Group Inc. (WRG). This document contains information proprietary to waste reduction, including processes, methodologies, and architecture frameworks for consulting engagements. No part of this document may be used, copied, or disclosed in any manner, in whole or in part, electronic or otherwise, to any third party except as expressly authorized in writing by Waste Reduction Group.



Table of Contents

Executive Summary

- 1. Introduction
 - 1.1 Purpose and Objectives
- 2. Scope of Work
- 3. Sampling Methodology
- 4. Waste Audit Findings
 - 4.1 Site Tour
 - 4.2 Sample Composition by Sampled Stream
 - 4.3 Sample Composition by Functional Area
 - **4.4 Sample Contamination**
 - **4.4.1 Red Box Sample Composition and Contamination**
 - **4.4.2 Blue Box Sample Composition and Contamination**
 - 4.4.3 Garbage Sample Composition and Contamination
 - 4.5 Recyclables in the Garbage Stream
 - **4.6 Estimated Annual Quantities Generated**
- **5.0 Performance Metrics**
 - **5.1 Waste Diversion Rate**
 - 5.2 Capture Rate
- 6.0 Waste Audit Summary and Waste Reduction Work Plan
- 7.0 Findings and Conclusions
- 8 Recommendations
 - 8.1 Improve Existing Waste Diversion Programs
 - 8.2 Add Organics/Paper Towels Diversion Programs
 - 8.3 Dedicated Receptacles and Update Signage
 - **8.4 Promoting Culture**
 - 8.5 Continuous Monitoring and Process Improvement

Appendices

- Appendix A: List of Categories
- **Appendix B: Scale Calibration Certificate**
- Appendix C: Detailed Sample Composition
- Appendix D: Estimated Annual Quantities Generated and Capture Rates by Material
- Appendix E: Site Photographs
- **Appendix F: School Calendar**
- **Appendix G: Waste Audit and Reduction Work Plan**



Executive Summary

Greater Essex District School Board retained Waste Reduction Group ("WRG") to conduct a solid, non-hazardous waste audit for the Leamington District Secondary School (Leamington District SS) located at 80 Oak St W in Leamington, Ontario (the Site). The audit complied with the Environmental Protection Act, O.Reg. 102/94: Waste Audits and Waste Reduction Work Plans, and O.Reg. 103/94: Industrial, Commercial, and Institutional Source Separation Program.

The objectives of the audit were to determine the composition of the garbage, recycling, and organics streams by point of origin, quantify Leamington District SS estimated 2024 annual waste generation, determine the waste diversion and capture rates, identify additional opportunities for waste reduction and diversion, and address any specific concerns identified during the study.

The scope of the waste audit included collecting three (3) samples of the Red Box stream, three (3) samples of the Blue Box stream and five (5) samples of the Garbage stream.

Findings and Conclusions

It should be noted that the conclusions and recommendations provided in this report are based on the waste audit sample results, which are considered representative of the annual quantities for this report. The estimates in this report have yet to account for fluctuations in waste quantities generated daily.

The conclusions discussed below are based on the waste audit findings. It should be noted that the conclusions and recommendations provided in this report are based on the waste audit sample results, which are considered representative of the annual quantities for this report. The estimates in this report have yet to account for fluctuations in waste quantities generated daily.

Sample Composition

• The Garbage stream sample had the highest sample mass (47.99%) followed by Red Box (28.91%) and the Blue Box stream (23.1%).

Composition By Waste Stream

- **Garbage Stream** the garbage stream had the highest sample mass and consisted primarily of paper towels/compostable fibres (13.35kg, 12.33%), organics (12.11kg, 11.18%), and LDPE #4 plastic (8.15kg, 7.53%).
- **Red Box** consisted primarily of fine paper (17.39 kg, 16.06%).
- **Blue Box** consisted primarily of glass (6.02kg, 5.56%), and PET #1 (5.08kg, 4.69%). *Composition by Functional Area*



- The classroom generated the highest sample mass (68.5%) which consisted primarily of fine paper, paper towels, organics, boxboard, glass and PET #1.
- **Classroom** generated the highest sample mass (68.5% of total sample mass) which consisted primarily of fine paper, paper towels, organics, boxboard and glass.
- **Hallway** generated 19.54% of the total sample mass and consisted of paper towels, organics and LDPE #4.
- Office generated 7.74% of the total sample mass and consisted of fine paper.

Contamination

- The contamination rates for the sampled streams were as follows: Garbage stream -29.94%, Red Box stream - 13.94% and Blue Box stream - 27.05%.
- The **Red Box** sample consisted of 86.06% Red Box material, 13.05% Garbage material and 0.89% Blue Box material.
 - 55.55% of the Red Box sample consisted of fine paper, 13.9% consisted of boxboard, 12.36% consisted of kraft paper, and 10.16% consisted of paper towels.
 - Roughly 14% of the Red Box sample was contaminated with garbage or Blue Box material. Contamination in the Red Box stream consisted primarily of paper towels and LDPE #4 plastic film.
- The **Blue Box** sample consisted of 72.95% Blue Box material, 14.83% garbage, and 12.22% Red Box material.
 - 24.07% of the Blue Box sample consisted of glass, 20.3% consisted of PET #1,
 11.08% consisted of aluminum, 10.6% consisted of PP #5, 7.32% consisted of fine paper, and 7.16% consisted of paper towels.
 - Roughly 27% of the Blue Box sample was contaminated with garbage or Red Box material. Contamination consisted primarily of fine paper, paper towels, non-recyclable material, LDPE #4 plastic, cardboard and coffee cups.
- The **garbage sample** consisted of 70.06% garbage material, 15.56% Red Box material, 13.8% Blue Box material, and 0.58% Special items (textiles)
 - The garbage sample consisted primarily of paper towels (25.69%), organics (23.3%), LDPE #4 plastic (15.69%), boxboard (9.58%) and PET #1 (4.21%).
 - Roughly 30% of the garbage stream sample was contaminated with Red Box material, Blue Box material, or Special items. Contamination in the garbage stream consisted primarily of boxboard, PET #1, PP #5, fine paper, glass, kraft paper, HDPE #2 plastic coffee cups and gable top containers.

Recyclables in the Garbage Stream



- The garbage sample consisted of 5.95% Mandatory Recyclables, 23.99% Other Recyclables, and 70.06% Other (Non-Recyclable) material.
- The Mandatory Recyclables in the garbage stream consisted of (in % of total sample mass):
 - Fine paper 2.66%
 - o Glass 2.46%
 - o Aluminum 0.83
- The **Other Recyclables** in the garbage stream consisted primarily of:
 - Boxboard 9.58%
 - o PET #1 4.21%
 - o PP#5 2.66%
 - Kraft paper 2.17%
 - HDPE #2 plastic 1.62%
 - o Coffee cups 1.14%
 - Gable top containers 1.14%
- Estimated Annual Quantities Generated 21 MT of material are expected to be generated annually, which consists primarily of the following materials:
 - Fine paper 4 MT
 - Paper towels 3.55 MT
 - o Organics 2.35 MT
 - LDPE #4 plastic 1.88 MT
 - Boxboard 1.81 MT
 - Glass 1.46 MT
 - o PET #1 1.41 MT
 - Kraft paper 0.97 MT
 - o PP #5 0.79 MT
- The 2024 waste diversion rate was calculated to be 52.01% (below the provincial objective of 60%) based on 10.92 MT of diverted waste, 21 MT of total waste generated, and 194 school days.
- The overall **Capture Rate is 75.72**% based on a total diverted quantity of 9.41 MT and a total potential divertible quantity of 12.43 MT. The Blue Box capture rate was 72.09%, and the Red Box capture rate was 78.76%.

Recommendations

- Mandatory Recyclables
- Fine paper 0.27 MT of material is estimated to be generated annually through the garbage stream. Diverting this through the Red Box stream could increase the waste diversion rate up to 1.27% and could increase the capture rate up to 2.15%.
- Glass 0.25 MT of material is estimated to be generated annually through the garbage stream. Diverting this material through the existing Blue Box stream could increase the waste diversion rate up to 1.18% and could increase the capture rate up to 2%.
- Aluminum 0.08 MT of material is estimated to be generated annually through the garbage stream. Diverting this material through the existing Blue Box stream could increase the waste diversion rate up to 0.4% and could increase the capture rate up to 0.67%.



Red Box and Blue Box Streams

- Boxboard 0.97 MT of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing Red Box stream could increase the waste diversion rate by up to 4.6%.
- **PET #1 0.42 MT** of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing Blue Box stream could increase the waste diversion rate by up to 2.02%.
- PP#5 0.27 MT of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing streams could increase the waste diversion rate by up to 1.27%.
- Kraft Paper/Other Fibres 0.22 MT of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing streams could increase the waste diversion rate by up to 1.04%.
- HDPE #2 plastic 0.16 MT of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing streams could increase the waste diversion rate by up to 0.78%.

Add Organics Diversion Program

Paper towels generated in the garbage stream accounted for 2.59 MT of material annually. Diverting this material through a new organics diversion program **could increase waste diversion by up to 12.33**%.

Organics generated in the garbage stream accounted for 2.35 MT of material annually. Diverting this material through a new organics diversion program **could increase waste diversion by up to 11.18**%.

LDPE #4 plastics generated in the garbage stream accounted for 1.58 MT of material annually. Diverting this material from landfill **could increase waste diversion by up to 7.53%**.

Dedicated Receptacles and Update Signage

Waste diversion rates could be improved by implementing dedicated receptacles with clear signage to encourage waste separation at the source. Provide dedicated receptacles with signage and pictograms as a clear message to staff and students to separate divertible materials from landfill waste at the source. Pictograms can provide examples of the types of waste suitable for the waste collection stream. Divertible material should be consolidated into a centralized location and picked up by a dedicated contractor.

Promoting Culture

A committee is recommended to oversee waste reduction and sustainability and promote a culture of waste diversion. Educate students and staff on the importance of waste diversion and communicate the corporate goals for waste diversion and sustainability. Create a positive message around the benefits of waste diversion and the individual's role.



- Support and encourage purchasing and using "environmentally friendly," reusable or recyclable materials, packaging, and/or recycled content.
- Ensure an Environmental Policy is visible in common areas throughout the building and continue to emphasize the facility's commitment to environmental stewardship through its training program and green or environmental initiatives.
- Encourage staff and students to prioritize bringing reusable containers, water bottles, and coffee cups.
- Promote and highlight current environmental programs and efforts through newsletters, posters, and/or bulletin boards for waste management.

Continuous Monitoring and Process Improvement

Track year-over-year waste diversion change capture rates and communicate progress to staff and students to encourage further participation/engagement.

Continuous monitoring and reporting for this site annually and comparison with year-over-year changes would provide insight into trends, which can be used as a basis for policy decisions regarding solid waste management for future projects. Further refinements to programs/processes can be made, and adherence to provincial requirements can be achieved.



1. Introduction

Greater Essex District School Board retained Waste Reduction Group ("WRG") to conduct a solid, non-hazardous waste audit for Learnington District Secondary School located at 80 Oak St W in Learnington, Ontario (the Site). The audit complied with the Environmental Protection Act, O.Reg. 102/94: Waste Audits and Waste Reduction Work Plans, and O.Reg. 103/94: Industrial, Commercial, and Institutional Source Separation Program.

1.1 Purpose and Objectives

The purpose of the waste audit was to comply with Ontario Regulation 102/94 – Waste Audits and Waste Reduction Work Plans Part XI, which requires educational institutions to conduct a waste audit covering the waste generated by the establishment operating at the site and prepare and implement a waste reduction work plan on an annual basis to confirm compliance with Ontario Regulation 103/94 – IC&I Source Separation Programs.

The objectives are as follows:

- Determine the composition of the Red Box, Blue Box and Garbage streams by point of origin,
- Quantify the estimated 2024 annual waste generation for all waste streams based on audit data and the number of days in the school year,
- Determine the waste diversion and capture rates,
- Identify additional opportunities for waste reduction and diversion; and
- Address any specific concerns identified during the study.

The Site is considered to apply to O.Reg. 103./94 – Educational Institutions.

2. Scope of Work

To meet the objectives outlined above, the following activities were undertaken by WRG:

- Collected three (3) samples of the Red Box stream, three (3) samples of the Blue Box stream and five (5) samples of the Garbage stream.
- Sorted samples into predetermined categories as set out by WRG (detailed in Appendix A: List of Categories)
- Determined the total quantity of waste diverted from landfill through current reduction, reuse, and recycling programs implemented at the school. Quantities were calculated using sample mass multiplied by the number of school days per year;
- Completed a waste audit report summarizing the audit findings and provided recommendations for increased waste diversion efficiency.
- Conducted a site tour accompanied by site personnel and interviewed staff to obtain information on existing waste diversion practices.



3. Sampling Methodology

On November 11th, 2024, WRG collected three (3) samples of the Red Box stream, three (3) samples of the Blue Box stream and five (5) samples of the Garbage stream. The samples were collected from the following functional areas.

Table 1: Sample Summary

Functional Area	Blue Box	Garbage	Red Box	Total
Cafeteria		1		1
Classroom	1	1	1	3
Hallway	1	1	1	3
Office	1	1	1	3
Washroom		1		1
Total	3	5	3	11

Qualified WRG staff sorted the materials using containers to keep them separate. Waste was sorted into individual material categories and weighed using a calibrated scale (Appendix B: Scale Calibration Certificate). It was then re-bagged and disposed of in an appropriate waste container.

4. Waste Audit Findings

A total of 108.27 kg of sample materials was collected for the waste audit. The following sections summarize the site tour findings and analyze the sample composition.

4.1 Site Tour

During the tour of the Site, the following observations were made by WRG representatives:

- The Site implements garbage, Blue Box, and Red Box streams and collects specialty materials, including hazardous waste and medical equipment.
- Dedicated bins were available for each stream
- Signage was observed to be limited.

An analysis of the sample composition is provided in the following sections.

4.2 Sample Composition by Sampled Stream

Based on the audit findings, the Garbage stream sample had the highest sample mass (47.99%), followed by Red Box (28.91%) and the Blue Box stream (23.1%). The figure below shows the sample composition by material and sampled stream.



Table 2: Sample Composition by Sampled Stream and Material (in kg and % of total sample by mass)

Sampled Stream	Red	Box	Blu	e Box	Gar	bage	To	otal
O.Reg 103/94 Type	kg	%	kg	%	kg	%	kg	%
Non-Recyclable	4.09	3.77%	3.71	3.43%	36.40	33.62%	44.20	40.82%
Paper Towels/Compostable Fibres	3.18	2.94%	1.79	1.65%	13.35	12.33%	18.32	16.92%
Organics	0.01	0.01%	0.01	0.01%	12.11	11.18%	12.13	11.20%
LDPE (#4) Plastic Films	0.66	0.60%	0.91	0.84%	8.15	7.53%	9.71	8.97%
Non-Recyclables	0.18	0.17%	0.92	0.85%	2.09	1.93%	3.19	2.95%
Diapers	0.00	0.00%	0.00	0.00%	0.40	0.37%	0.40	0.37%
Polystyrene #6	0.02	0.02%	0.02	0.02%	0.17	0.16%	0.21	0.19%
Cold Beverage Wax-Lined Paper Cups	0.04	0.04%	0.06	0.06%	0.10	0.09%	0.20	0.18%
PPE	0.00	0.00%	0.01	0.00%	0.03	0.02%	0.03	0.03%
Plastic Strapping	0.00	0.00%	0.00	0.00%	0.01	0.01%	0.01	0.01%
Styrofoam	0.00	0.00%	0.00	0.00%	0.00	0.00%	0.00	0.00%
Mandatory Recyclable	18.68	17.25%	11.82	10.92%	3.09	2.85%	33.59	31.02%
Fine Paper	17.39	16.06%	1.83	1.69%	1.38	1.27%	20.60	19.03%
Glass	0.20	0.18%	6.02	5.56%	1.28	1.18%	7.50	6.93%
Aluminum	0.02	0.02%	2.77	2.56%	0.43	0.40%	3.22	2.97%
Cardboard	1.07	0.99%	0.90	0.83%	0.00	0.00%	1.97	1.82%
Steel Cans	0.00	0.00%	0.30	0.28%	0.00	0.00%	0.30	0.28%
Other Recyclable	8.54	7.89%	9.48	8.75%	12.47	11.51%	30.48	28.16%
Boxboard	4.35	4.02%	0.02	0.02%	4.98	4.60%	9.35	8.64%
PET #1	0.01	0.01%	5.08	4.69%	2.19	2.02%	7.28	6.72%
Kraft Paper/Other Fibres	3.87	3.57%	0.02	0.01%	1.13	1.04%	5.01	4.63%
PP #5	0.02	0.02%	2.65	2.45%	1.38	1.27%	4.05	3.74%
Gable Top Containers	0.02	0.02%	0.81	0.75%	0.59	0.54%	1.42	1.31%
Coffee Cups	0.26	0.24%	0.28	0.26%	0.59	0.54%	1.13	1.04%
HDPE Plastic Containers #2	0.00	0.00%	0.01	0.01%	0.84	0.78%	0.85	0.79%
Other Plastics #7	0.00	0.00%	0.16	0.15%	0.40	0.37%	0.56	0.52%
Aseptic Containers	0.01	0.01%	0.45	0.41%	0.02	0.02%	0.48	0.44%
Textiles	0.00	0.00%	0.00	0.00%	0.30	0.28%	0.30	0.28%
Composite Cans	0.00	0.00%	0.00	0.00%	0.04	0.04%	0.04	0.04%
Moulded Pulp	0.00	0.00%	0.01	0.01%	0.01	0.01%	0.02	0.02%
Total	31.30	28.91%	25.01	23.10%	51.96	47.99%	108.27	100.00%

Notable observations are described below:

- **Garbage Stream** the garbage stream had the highest sample mass and consisted primarily of paper towels/compostable fibres (13.35kg, 12.33%), organics (12.11kg, 11.18%), and LDPE #4 plastic (8.15kg, 7.53%).
- **Red Box** consisted primarily of fine paper (17.39 kg, 16.06%).
- Blue Box consisted primarily of glass (6.02kg, 5.56%), and PET #1 (5.08kg, 4.69%)



4.3 Sample Composition by Functional Area

The classroom generated the highest sample mass (68.5%) which consisted primarily of fine paper, paper towels, organics, boxboard, glass and PET #1. The figure below shows the sample composition by material and functional area.

Table 3: Sample Composition by Functional Area and Material (in kg and % of total sample by mass)

Functional Area	Caf	eteria	Clas	sroom	Ha	llway	O	ffice	Was	hroom	_To	otal
Material	kg	%	kg	%	kg	%	kg	%	kg	%	_ kg	%
Fine Paper	0.01	0.01%	13.02	12.03%	0.88	0.81%	6.68	6.17%	0.01	0.01%	20.60	19.03%
Paper Towels/Compostable Fibres	0.12	0.11%	12.03	11.11%	4.68	4.32%	0.19	0.18%	1.30	1.20%	18.32	16.92%
Organics	0.74	0.68%	6.71	6.20%	4.35	4.02%	0.32	0.30%	0.01	0.00%	12.13	11.20%
LDPE (#4) Plastic Films	0.32	0.30%	5.32	4.91%	3.83	3.54%	0.24	0.22%			9.71	8.97%
Boxboard	0.38	0.35%	6.39	5.90%	1.90	1.75%	0.67	0.62%	0.01	0.01%	9.35	8.64%
Glass	0.26	0.24%	6.32	5.84%	0.92	0.85%					7.50	6.93%
PET #1	0.40	0.37%	5.73	5.29%	1.14	1.05%	0.01	0.01%			7.28	6.72%
Kraft Paper/Other Fibres	0.01	0.01%	4.06	3.75%	0.91	0.84%	0.04	0.03%			5.01	4.63%
PP #5	0.20	0.18%	3.17	2.93%	0.67	0.62%	0.01	0.01%			4.05	3.74%
Aluminum	0.05	0.05%	2.96	2.73%	0.20	0.18%	0.01	0.01%			3.22	2.97%
Non-Recyclables	0.20	0.18%	2.54	2.35%	0.43	0.40%	0.01	0.01%	0.01	0.01%	3.19	2.95%
Cardboard			1.95	1.80%	0.00	0.00%	0.02	0.02%			1.97	1.82%
Gable Top Containers			1.10	1.02%	0.32	0.29%					1.42	1.31%
Coffee Cups	0.10	0.09%	0.68	0.63%	0.18	0.17%	0.17	0.16%			1.13	1.04%
HDPE Plastic Containers #2	0.01	0.01%	0.44	0.41%	0.40	0.37%					0.85	0.79%
Other Plastics #7			0.56	0.52%	0.00	0.00%					0.56	0.52%
Aseptic Containers	0.01	0.01%	0.46	0.42%	0.00	0.00%	0.01	0.01%			0.48	0.44%
Diapers			0.00	0.00%	0.00	0.00%			0.40	0.37%	0.40	0.37%
Steel Cans			0.30	0.28%	0.00	0.00%					0.30	0.28%
Textiles			0.00	0.00%	0.30	0.28%					0.30	0.28%
Polystyrene #6			0.16	0.15%	0.03	0.03%	0.01	0.01%	0.01	0.01%	0.21	0.19%
Cold Beverage Wax-Lined Paper Cups			0.20	0.18%	0.00	0.00%					0.20	0.18%
Composite Cans			0.04	0.04%	0.00	0.00%					0.04	0.04%
PPE			0.02	0.01%	0.01	0.01%			0.01	0.00%	0.03	0.03%
Moulded Pulp			0.01	0.01%	0.01	0.01%			0.01	0.00%	0.02	0.02%
Plastic Strapping			0.00	0.00%	0.01	0.01%					0.01	0.01%
Styrofoam			0.00	0.00%	0.00	0.00%					0.00	0.00%
Total	2.81	2.60%	74.16	68.50%	21.16	19.54%	8.38	7.74%	1.76	1.62%	108.27	100.00%

Notable observations are described below:

- **Classroom** generated the highest sample mass (68.5% of total sample mass) which consisted primarily of fine paper, paper towels, organics, boxboard and glass.
- Hallway generated 19.54% of the total sample mass and consisted of paper towels, organics and LDPE #4.
- Office generated 7.74% of the total sample mass and consisted of fine paper.

4.4 Sample Composition and Contamination



The contamination rates for the sampled streams were as follows: Garbage stream - 29.94%, Red Box stream - 13.94% and Blue Box stream - 27.05%. The figures below show the contamination rate by the sampled stream and functional area.


● Not Contaminated ● Contaminated


Garbage 36.40 70.06% 15.56 29.94%

Red Box 26.94 86.06% 4.36 13.94%

Blue Box 18.24 72.95% 6.77 27.05%

Figure 1a: Contamination Rate by Sampled Stream









4.4.1 Red Box Sample Composition and Contamination

The Red Box sample consisted of 86.06% Red Box material, 13.05% Garbage material (paper towels) and 0.89% Blue Box material. The sample composition is shown in the figure below.






Roughly 14% of the Red Box sample was contaminated with garbage and Blue Box material. The breakdown of contamination is shown in the figure below.



Figure 2b: Red Box Sample Contamination (kg and % of sample stream)

■Blue Box ■Garbage ■Red Box ■Special items



Notable Observations

- The Red Box sample consisted of 86.06% Red Box material, 13.05% Garbage material and 0.89% Blue Box material.
- 55.55% of the Red Box sample consisted of fine paper, 13.9% consisted of boxboard, 12.36% consisted of kraft paper, and 10.16% consisted of paper towels.
- Roughly 14% of the Red Box sample was contaminated with garbage or Blue Box material. Contamination in the Red Box stream consisted primarily of paper towels and LDPE #4 plastic film.


4.4.2 Blue Box Sample Composition and Contamination

The Blue Box sample consisted of 72.95% Blue Box material, 14.83% garbage, and 12.22% Red Box material. The sample composition is shown in the figure below.



Figure 3a: Blue Box Sample Composition (kg and % of sample stream)

■Blue Box ■Garbage ■Red Box ■Special items




Roughly 27% of the Blue Box sample was contaminated with garbage material. The breakdown of contamination is shown in the figure below.



Figure 3b: Blue Box Sample Contamination
(kg and % of sample stream)

Blue Box Garbage Red Box Special items



Notable Observations

- The Blue Box sample consisted of 72.95% Blue Box material, 14.83% garbage, and 12.22% Red Box material.
- 24.07% of the Blue Box sample consisted of glass, 20.3% consisted of PET #1,
 11.08% consisted of aluminum, 10.6% consisted of PP #5, 7.32% consisted of fine paper, and 7.16% consisted of paper towels.
- Roughly 27% of the Blue Box sample was contaminated with garbage or Red Box material. Contamination consisted primarily of fine paper, paper towels, non-recyclable material, LDPE #4 plastic, cardboard and coffee cups.


4.4.3 Garbage Sample Composition and Contamination

The garbage sample consisted of 70.06% garbage material, 15.56% Red Box material, 13.8% Blue Box material, and 0.58% Special items (textiles). The sample composition is shown in the figure below.



Figure 4a: Garbage Sample Composition
(% of total sample mass and kg)

Blue Box Garbage Red Box Special items




Roughly 30% of the garbage stream sample was contaminated with Red Box material, Blue Box material, or Special items (textiles). A breakdown of the contamination is shown in the figure below.



Figure 4b: Garbage Sample Contamination (% of total sample mass and kg)

■Blue Box ■Garbage ■Red Box ■Special items



Notable Observations

- The garbage sample consisted of 70.06% garbage material, 15.56% Red Box material,
 13.8% Blue Box material, and 0.58% Special items (textiles)
- The garbage sample consisted primarily of paper towels (25.69%), organics (23.3%), LDPE #4 plastic (15.69%), boxboard (9.58%) and PET #1 (4.21%).
- Roughly 30% of the garbage stream sample was contaminated with Red Box material, Blue Box material, or Special items. Contamination in the garbage stream consisted primarily of boxboard, PET #1, PP #5, fine paper, glass, kraft paper, HDPE #2 plastic coffee cups and gable top containers.

4.5 Recyclables in the Garbage Stream

Based on the waste sample composition analysis, Mandatory Recyclables and Other Recyclables were identified in the garbage stream. The garbage sample consisted of 5.95% Mandatory Recyclables, 23.99% Other Recyclables, and 70.06% Other (Non-Recyclable) material.



A description of the recyclable materials subject to O.Reg. 103/94 is provided below.

Mandatory Recyclables

O.Reg.193/04 requires that schools source separate the following materials (at a minimum):

- Aluminum food and beverage cans
- Cardboard (corrugated)
- Fine paper
- Glass food and beverage bottles/jars
- Newsprint
- Steel food and beverage cans

Other Recyclables

This includes any material eligible for recycling or that can be diverted from landfills. Other Recyclables include the following materials:

- Aseptic containers

- Batteries

- Boxboard

- Coffee Cups

- Composite Cans

- Electronics Waste

- Gable top containers

- HDPE #2 plastic containers

- Kraft paper/other fibres

- Lightbulbs

Molded pulp

Other plastics #7

- PET #1

- PP #5

- Printer toner/cartridges

- Scrap wood

- Scrap metal

- Textiles

Other (Non-Recyclables)


Includes all other non-recyclable materials.

Below is an analysis of the garbage sample composition by material and material type (Mandatory Recyclables, Other Recyclables, and Non-Recyclables).



Figure 5: Ratio of Recyclables in Garbage Stream by Type of Recyclable Organized by Functional Area

Mandatory Recyclable
 Non-Recyclable
 Other Recyclable



The breakdown of recyclables in the garbage stream by material is shown in the figures below.

Table 4: Breakdown of Mandatory Recyclables in Garbage Sample by Material (in kg and % of garbage sample mass)

Sampled Stream	Garbage	
O.Reg 103/94 Type	Annual Quantity (MT)	%
Mandatory Recyclable	0.60	5.95%
Fine Paper	0.27	2.66%
Glass	0.25	2.46%
Aluminum	0.08	0.83%
Total	0.60	5.95%



Table 5: Breakdown of Other Recyclables in Garbage Sample by Material (in kg and % of garbage sample mass)

Sampled Stream	Garba	ge
O.Reg 103/94 Type	Annual uantity (MT)	%
Other Recyclable	2.42	23.99%
Boxboard	0.97	9.58%
PET #1	0.42	4.21%
PP #5	0.27	2.66%
Kraft Paper/Other Fibres	0.22	2.17%
HDPE Plastic Containers #2	0.16	1.62%
Coffee Cups	0.11	1.14%
Gable Top Containers	0.11	1.14%
Other Plastics #7	0.08	0.77%
Textiles	0.06	0.58%
Composite Cans	0.01	0.08%
Aseptic Containers	0.00	0.04%
Moulded Pulp	0.00	0.02%
Total	2.42	23.99%

Notable observations are discussed below:

- The garbage sample consisted of 5.95% Mandatory Recyclables, 23.99% Other Recyclables, and 70.06% Other (Non-Recyclable) material.
- The Mandatory Recyclables in the garbage stream consisted of (in % of total sample mass):
 - Fine paper 2.66%
 - o Glass 2.46%
 - o Aluminum 0.83
- The Other Recyclables in the garbage stream consisted primarily of:
 - o Boxboard 9.58%
 - o PET #1 4.21%
 - o PP#5 2.66%
 - Kraft paper 2.17%
 - HDPE #2 plastic 1.62%
 - o Coffee cups 1.14%
 - o Gable top containers 1.14%



4.6 Estimated Annual Quantities Generated

The annual quantity was calculated using the following equation, based on 194 days in the school year and the sample mass generated over a one-day sampling period.

Estimated Annual Quantity = Number of days in school year x sample mass

Each material's estimated annual quantities were calculated and provided in the table below.

Divertible Material Diverted Diverted Landfill Total Through Red Through Blue Quantity (MT) Generated **Box Program Box Program** (MT) (MT) (MT) 6.07 4.85 Leamington District Secondary School 10.08 21.00 100.00% Fine Paper 3.37 0.36 0.27 4.00 19.03% Paper Towels/Compostable Fibres 0.62 0.35 2.59 3.55 16.92% Organics 0.00 0.00 2.35 2.35 11.20% LDPE (#4) Plastic Films 0.13 0.18 1.58 1.88 8.97% 0.00 0.97 8.64% Boxboard 0.84 1.81 Glass 0.04 1.17 0.25 1.46 6.93% 0.00 0.99 6.72% PFT #1 0.42 1.41 Kraft Paper/Other Fibres 0.75 0.00 0.22 0.97 4.63% 0.00 0.51 0.27 PP #5 0.79 3.74% Aluminum 0.00 0.54 0.08 0.62 2.97% 0.03 Non-Recyclables 0.18 0.41 0.62 2.95% Cardboard 0.21 0.17 0.00 0.38 1.82% Gable Top Containers 0.00 0.16 0.11 0.27 1.31% 0.05 0.05 0.11 0.22 1.04% Coffee Cups HDPE Plastic Containers #2 0.00 0.00 0.79% 0.16 0.16 Other Plastics #7 0.00 0.03 0.08 0.11 0.52% Aseptic Containers 0.00 0.09 0.00 0.09 0.44% 0.00 0.00 0.08 0.37% Diapers 80.0 0.06 Steel Cans 0.00 0.00 0.06 0.28% Textiles 0.00 0.00 0.06 0.06 0.28% Polystyrene #6 0.00 0.00 0.03 0.04 0.19% Cold Beverage Wax-Lined Paper Cups 0.01 0.01 0.02 0.04 0.18% Composite Cans 0.00 0.00 0.01 0.01 0.04% PPE 0.00 0.00 0.00 0.01 0.03% Moulded Pulp 0.00 0.00 0.00 0.00 0.02% Plastic Strapping 0.00 0.00 0.00 0.00 0.01% Styrofoam 0.00 0.00% 0.00 0.00 0.00 Total 6.07 4.85 10.08 21.00 100.00%

Table 6: Estimated Annual Quantities by Material

Notable Observations are discussed below:

- 21 MT of material are expected to be generated annually, which consists primarily of the following materials:
 - Fine paper 4 MT



- o Paper towels 3.55 MT
- o Organics 2.35 MT
- o LDPE #4 plastic 1.88 MT
- o Boxboard 1.81 MT
- Glass 1.46 MT
- o PET #1 1.41 MT
- o Kraft paper 0.97 MT
- o PP #5 0.79 MT

5.0 Performance Metrics

5.1 Waste Diversion Rate

Waste diversion is the percentage of waste materials a facility diverts from landfills due to reducing, reuse and recycling (3Rs) programs versus the total amount of waste generated (3Rs plus landfill waste). The Ministry of the Environment, Conservation and Parks defines the Waste Diversion rate calculation as follows:

Waste Diversion Rate = <u>Total Waste Diverted (3Rs)</u> x 100 Total Waste Generated

Table 7: Waste Diversion Rate

Year	Garbage Annual Quantity (MT)	Red Box Annual Quantity (MT)	Blue Box Annual Quantity (MT)	Diverted	Total Generated (MT)	Waste Diversion Rate
2024						
Leamington District Secondary School	10.08	6.07	4.85	10.92	21.00	52.01%

The 2024 waste diversion rate was calculated to be 52.01% (below the provincial objective of 60%) based on 10.92 MT of diverted waste and 21 MT of total waste generated and 194 school days.

5.2 Capture Rate

The capture rate is the proportion of divertible waste materials successfully diverted from disposal compared to the total amount of divertible waste materials generated. It measures the effectiveness of existing recycling programs.

The Recycling Council of Ontario defines the Capture Rate calculation as follows:

Capture Rate = <u>Total Divertible Material Captured (3Rs)</u> x 100 Total Divertible Material Generated



Below are the capture rates for all divertible materials included in existing waste diversion programs at the Site.

Divertible Material Landfill Diverted Diverted **Total** Capture Quantity Through Generated Through Rate **Blue Box** (MT) Red Box (MT) **Program** Program (MT) (MT) **Leamington District Secondary School** Red Box 1.57 5.23 0.59 7.39 78.76% 1.39 3.54 Blue Box 0.05 4.98 72.09% Special items 0.06 0.00 0.00 0.00% 0.06 3.02 4.13 12.43 Total 5.28 75.72%

Table 8: Capture Rates for Diversion Programs

The overall **Capture Rate is 75.72**% based on a total diverted quantity of 9.41 MT and a total potential divertible quantity of 12.43 MT. The Blue Box capture rate was 72.09%, and the Red Box capture rate was 78.76%.

6.0 Waste Audit Summary and Waste Reduction Work Plan

Refer to Appendix F for the Waste Audit Summary and the Waste Reduction Work Plan.

According to O.Reg.102/94, the Waste Reduction Work Plan or a plan summary must be posted at the facility where employees can review it. If a summary is posted, the entire Work Plan should also be made available for review by any employee upon request.

7.0 Findings and Conclusions

The conclusions discussed below are based on the waste audit findings. It should be noted that the conclusions and recommendations provided in this report are based on the waste audit sample results, which are considered representative of the annual quantities for this report. The estimates in this report have yet to account for fluctuations in waste quantities generated daily.

Sample Composition

• The Garbage stream sample had the highest sample mass (47.99%), followed bythe Red Box (28.91%) and the Blue Box stream (23.1%).

Composition By Waste Stream

- **Garbage Stream** the garbage stream had the highest sample mass and consisted primarily of paper towels/compostable fibres (13.35kg, 12.33%), organics (12.11kg, 11.18%), and LDPE #4 plastic (8.15kg, 7.53%).
- **Red Box** consisted primarily of fine paper (17.39 kg, 16.06%).
- **Blue Box** consisted primarily of glass (6.02kg, 5.56%) and PET #1 (5.08kg, 4.69%). Composition by Functional Area



- The classroom generated the highest sample mass (68.5%) which consisted primarily of fine paper, paper towels, organics, boxboard, glass and PET #1.
- **Classroom** generated the highest sample mass (68.5% of total sample mass) which consisted primarily of fine paper, paper towels, organics, boxboard and glass.
- **Hallway** generated 19.54% of the total sample mass and consisted of paper towels, organics and LDPE #4.
- Office generated 7.74% of the total sample mass and consisted of fine paper.

Contamination

- The contamination rates for the sampled streams were as follows: Garbage stream 29.94%, Red Box stream 13.94% and Blue Box stream 27.05%.
- The **Red Box** sample consisted of 86.06% Red Box material, 13.05% Garbage material and 0.89% Blue Box material.
 - 55.55% of the Red Box sample consisted of fine paper, 13.9% consisted of boxboard, 12.36% consisted of kraft paper, and 10.16% consisted of paper towels.
 - Roughly 14% of the Red Box sample was contaminated with garbage or Blue Box material. Contamination in the Red Box stream consisted primarily of paper towels and LDPE #4 plastic film.
- The **Blue Box** sample consisted of 72.95% Blue Box material, 14.83% garbage, and 12.22% Red Box material.
 - 24.07% of the Blue Box sample consisted of glass, 20.3% consisted of PET #1,
 11.08% consisted of aluminum, 10.6% consisted of PP #5, 7.32% consisted of fine paper and 7.16% consisted of paper towels.
 - Roughly 27% of the Blue Box sample was contaminated with garbage or Red Box material. Contamination consisted primarily of fine paper, paper towels, non-recyclable material, LDPE #4 plastic, cardboard and coffee cups.
- The **garbage sample** consisted of 70.06% garbage material, 15.56% Red Box material, 13.8% Blue Box material, and 0.58% Special items (textiles)
 - The garbage sample consisted primarily of paper towels (25.69%), organics (23.3%), LDPE #4 plastic (15.69%), boxboard (9.58%) and PET #1 (4.21%).
 - Roughly 30% of the garbage stream sample was contaminated with Red Box material, Blue Box material, or Special items. Contamination in the garbage stream consisted primarily of boxboard, PET #1, PP #5, fine paper, glass, kraft paper, HDPE #2 plastic coffee cups and gable top containers.

Recyclables in the Garbage Stream



- The garbage sample consisted of 5.95% Mandatory Recyclables, 23.99% Other Recyclables, and 70.06% Other (Non-Recyclable) material.
- The **Mandatory Recyclables** in the garbage stream consisted of (in % of total sample mass):
 - Fine paper 2.66%
 - o Glass 2.46%
 - o Aluminum 0.83
- The **Other Recyclables** in the garbage stream consisted primarily of:
 - Boxboard 9.58%
 - o PET #1 4.21%
 - o PP#5 2.66%
 - Kraft paper 2.17%
 - HDPE #2 plastic 1.62%
 - o Coffee cups 1.14%
 - Gable top containers 1.14%

Estimated Annual Quantities Generated

- 21 MT of material are expected to be generated annually, which consists primarily of the following materials:
 - Fine paper 4 MT
 - Paper towels 3.55 MT
 - o Organics 2.35 MT
 - o LDPE #4 plastic 1.88 MT
 - Boxboard 1.81 MT
 - Glass 1.46 MT
 - o PET #1 1.41 MT
 - Kraft paper 0.97 MT
 - o PP #5 0.79 MT

Waste Diversion Rate

 The 2024 waste diversion rate was calculated to be 52.01% (below the provincial objective of 60%) based on 10.92 MT of diverted waste and 21 MT of total waste generated, and 194 school days.

Capture Rate

• The overall **Capture Rate is 75.72**% based on a total diverted quantity of 9.41 MT and a total potential divertible quantity of 12.43 MT. The Blue Box capture rate was 72.09,% and the Red Box capture rate was 78.76%.

8 Recommendations

Based on the conclusions, the following recommendations are tied to the conclusions discussed in the previous section.



The Site diverts 52.01% of generated waste through existing programs, above the provincial objective of 60%. The capture rate is 75.72%. There are opportunities to improve the waste diversion rate and capture rate further.

8.1 Improve Existing Waste Diversion Programs

Improving the following existing diversion programs could improve waste diversion and capture rates.

Mandatory Recyclables

- Fine paper 0.27 MT of material is estimated to be generated annually through the garbage stream. Diverting this through the Red Box stream could increase the waste diversion rate up to 1.27% and could increase the capture rate up to 2.15%.
- Glass 0.25 MT of material is estimated to be generated annually through the garbage stream. Diverting this material through the existing Blue Box stream could increase the waste diversion rate up to 1.18% and could increase the capture rate up to 2%.
- Aluminum 0.08 MT of material is estimated to be generated annually through the garbage stream. Diverting this material through the existing Blue Box stream could increase the waste diversion rate up to 0.4% and could increase the capture rate up to 0.67%.

Red Box and Blue Box Streams

- Boxboard 0.97 MT of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing Red Box stream could increase the waste diversion rate by up to 4.6%.
- **PET #1 0.42 MT** of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing Blue Box stream could increase the waste diversion rate by up to 2.02%.
- PP#5 0.27 MT of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing streams could increase the waste diversion rate by up to 1.27%.
- Kraft Paper/Other Fibres 0.22 MT of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing streams could increase the waste diversion rate by up to 1.04%.
- HDPE #2 plastic 0.16 MT of material is estimated to be generated annually through the garbage stream. Diverting this quantity through the existing streams could increase the waste diversion rate by up to 0.78%.

8.2 Add Organics/Paper Towels Diversion Programs

Paper towels generated in the garbage stream accounted for 2.59 MT of material annually. Diverting this material through a new organics diversion program **could increase waste diversion by up to 12.33**%.



Organics generated in the garbage stream accounted for 2.35 MT of material annually. Diverting this material through a new organics diversion program **could increase waste diversion by up to 11.18**%.

LDPE #4 plastics generated in the garbage stream accounted for 1.58 MT of material annually. Diverting this material from landfill **could increase waste diversion by up to 7.53%**.

8.3 Dedicated Receptacles and Update Signage

Waste diversion rates could be improved by implementing dedicated receptacles with clear signage to encourage waste separation at the source. Provide dedicated receptacles with signage and pictograms as a clear message to staff and students to separate divertible materials from landfill waste at source. Pictograms can provide examples of the types of waste suitable for the waste collection stream. Divertible material should be consolidated into a centralized location and picked up by a dedicated contractor.

8.4 Promoting Culture

A committee is recommended to oversee waste reduction and sustainability and promote a culture of waste diversion. Educate students and staff on the importance of waste diversion and communicate the corporate goals for waste diversion and sustainability. Create a positive message around the benefits of waste diversion and the individual's role.

- Support and encourage purchasing and using "environmentally friendly," reusable or recyclable materials, packaging, and/or recycled content.
- Ensure an Environmental Policy is visible in common areas throughout the building and continue to emphasize the facility's commitment to environmental stewardship through its training program and green or environmental initiatives.
- Encourage staff and students to prioritize bringing reusable containers, water bottles, and coffee cups.
- Promote and highlight current environmental programs and efforts through newsletters, posters, and/or bulletin boards for waste management.

8.5 Continuous Monitoring and Process Improvement

Track year-over-year changes in waste diversion capture rates and communicate progress to staff and students to encourage further participation/engagement.

Continuous monitoring and reporting for this site annually and comparison with year-over-year changes would provide insight into trends, which can be used as a basis for policy decisions regarding solid waste management for future projects. Further refinements to programs/processes can be made, and adherence to provincial requirements can be achieved.



Appendices



Appendix A: List of Categories

Material Category	Description
1. Paper and Paper Products	
Fine Paper	Includes mixed fine papers, writing paper, office paper, copy paper, bills and statements, ad mail, lottery tickets, receipts, envelopes, promotional cards, promotional calendars, printed information found within packaged products, etc. • Also includes softcover books, booklets, magazines, catalogues, calendars, flyers, and inserts.
Newsprint	Major daily and weekly newspapers and community newspapers. Does not include flyers and inserts.
Shredded Confidential Papers	Any paper that has been shredded.
Boxboard	Single-layered paperboard and fibre board with no corrugation. This includes cereal boxes, shoe boxes, cores from toilet paper, paper towels, gift wrap, etc.
Kraft Paper	Kraft paper bags and wrap, grocery or retail bags, potato bags, pet food bags, etc. Includes brown, white, and coloured kraft paper and bags. No bags with bonded plastic or foil lining.
Corrugated Cardboard	Waxed or unwaxed corrugated cardboard containers. Includes moulded pulp materials such as egg cartons, drink trays, other trays, etc.
Gable Top Containers	Polycoat containers with a gable-shaped top are used for milk, juice, some foods, etc.
Aseptic Containers	Tetra-pak-type polycoat packaging containers are used for juice, milk, soups and broths, alternative milk beverages, and alcoholic beverages.
Composite Cans	Spiral-wound cans with paper walls and plastic or metal tops or bottoms. They contain frozen juice, Pringles chips, dough, some raisins, etc.



Coffee Cups	All cups and containers used for hot/cold beverages and food (without a plastic oHot Primarily, hot/cold food and beverage containers are common in the fast food industry. Includes paper-based cups with a plastic lining, water cooler cups, freezer boxes, etc.
2. Plastic	
#1 Polyethylene Terephthalate (PET)	All PET #1 plastics. This includes clear or coloured thermoform packaging, beverage bottles, and non-beverage bottles used for food and non-food items such as dish soap, shampoo, mouthwash, window cleaner, and floor cleaner. • Does not include Black Plastics.
#2 High-Density Polyethylene (HDPE)	All HDPE #2 plastics. Includes natural and coloured bottles, jugs, and containers for beverages, food items, and non-food items such as laundry soap, shampoo, bleach, vinegar, pill bottles, etc. • Does not include Black Plastics.
#4 Low-Density Polyethylene (LDPE) Films	All #4 LDPE plastic films. This includes soft, "stretchy" PE plastic used for items such as produce bags, water bottle overwraps, garbage bags, kitchen liners, blue or clear recycling bags, sandwich and freezer bags, etc. • Does not include Black Plastics.
#5 Polypropylene (PP)	All #5 PP plastics. Includes clear and coloured food containers, jugs, jars, take-out beverage cups, bottles, and jars for food items. • Does not include Black Plastics.
#6 Non-Expanded Polystyrene (PS)	All Non-Expanded (rigid) #6 PS plastics. Includes clear or coloured rigid food trays, clamshells, cup lids, yogurt cups, CD and DVD cases only (no disk), etc. • Does not include Black Plastics.
Other Recyclable Plastics (#3, 4, 7)	All other recyclable plastics (#3, 4, 7). Includes clear and coloured bottles, jugs, jars, and containers.
3. Glass/Metal	



Glass:	All clear and coloured glass. Includes bottles and containers for food, beverages, cosmetics, toiletries, household pharmaceutical products, candle jars, etc. • Does not include non-recyclable glass such as windowpane glass, plates, drinking glasses, figures, or incandescent light bulbs.
Aluminum	All aluminum containers and foils. Includes food and beverage containers, rigid aluminum trays (pie plates, baking trays, etc.), empty aerosol containers, and containers for hair products, tubes, etc. • Does not include full or partially full pressurized cans.
Steel	All steel containers. Includes food and beverage containers, empty spray cans (for cooking oil, whipped cream, etc.), and empty paint cans. • Does not include full or partially full pressurized cans.
4. Organics	
Organic Food Waste	All edible and non-edible organic waste from food items. Includes untouched and leftover bakery, meat & fish, dried food, fruits & vegetables, dairy, and other foods.
	Includes untouched and leftover bakery, meat & fish, dried
Organic Food Waste	Includes untouched and leftover bakery, meat & fish, dried food, fruits & vegetables, dairy, and other foods. All other organic materials that are not derived from food items. Includes yard waste, grass clippings, small wood waste, pet waste, diapers and sanitary products, certified compostable plastic bin liners, and other compostable
Organic Food Waste Other Organics:	Includes untouched and leftover bakery, meat & fish, dried food, fruits & vegetables, dairy, and other foods. All other organic materials that are not derived from food items. Includes yard waste, grass clippings, small wood waste, pet waste, diapers and sanitary products, certified compostable plastic bin liners, and other compostable papers. Include paper towels, paper napkins, toilet paper, facial



Non-Treated Wood	Non-treated wood materials. Includes skids/pallets, wooden furniture, etc. • Does not include branches, brush, or wood chips.					
Batteries	All single-use and rechargeable batteries. Includes Alkaline-Manganese, Lithium, Silver Oxide, Zinc Air, Zinc-Carbon, etc.					
Printer Toners	All ink cartridges and printer toners.					
E-Waste	All waste is from electrical and electronic equipment (WEEE). Anything that is battery-operated and/or can be plugged into an electrical outlet. Includes computer/IT equipment, telecom equipment, TV & audio equipment, small kitchen appliances, wires/chargers /adapters, cocks, gadgets, etc.					
Plastic Strapping	This is All-Plastic Strapping material. It is used to bundle products for retail sales and can come in various colours and plastic materials.					
6. Non-Recyclable Waste						
Non-Recyclable/Garbage	All other non-recyclable waste materials are not classified					
	elsewhere. Includes hazardous waste, coffee cups, black plastics, and expanded polystyrene, all described below. Includes chip bags, furnace filters, laminated papers, rigid or durable plastics, non-recyclable glass, dust, single-use cleaning wipes, single-use coffee pods, plastic straws and cutlery, materials too small to process, etc.					



Cold Beverage Wax-Lined Cups	All cups and containers have a plastic or wax lining. Multiple-layered, primarily fibre, hot/cold food and beverage containers are common in the fast food industry. This includes paper-based cups with a plastic lining, water cooler cups, freezer boxes, etc.
Black Plastics	Includes all Black Plastics #1-7 and unmarked. • Also includes rigid, durable, and expanded Black Plastics and black plastic bags.
Expanded Polystyrene	This includes white, coloured, and black polystyrene foam packaging for food trays, clamshells, etc., as well as foam packaging for "peanuts" and foam blocks used to protect boxed products.

Appendix B: Scale Calibration Certificate



CALIBRATION CERTIFICATE

DATE: July 05 2024

SR # 52342

CUSTOMER:

Waste Reduction Group 214 Merton St. # 101 Toronto ON

REMARKS

This is to certify that the following scale has been tested and verified in relation to the Standards maintained by **CANADIAN SCALE COMPANY LIMITED**, with test weights traceable to the Legal Metrology Laboratories of, Industry Canada and National Research Council, Canada.

Western model - EWH150 Capacity - 150 kg S/N - 202104114

CANADIAN SCALE COMPANY LIMITED is an Authorized Service Provider of Measurement Canada

Technician's signature

Wrg | waste reduction group Inc. +416 823 4554 | admin@wastereductiongroup.ca

CANADIAN SCALE COMPANY LIMITED

305 Horner Avenue, Toronto, ON M8W 1Z4 1-800-461-0634 www.canscale.com



Appendix C: Detailed Sample Composition

(Note: higher intensity of blue highlighting indicates higher sample weight/percent)

Sampled Stream			Red	Box					Rlue	Box							Garb	age			_		_T	otal
Functional Area	Clas	sroom		allway	0	ffice	Clas	sroom		Ilway	0	ffice	Caf	eteria	Clas	sroom		llway	0	ffice	Was	hroom	"	otai
O.Reg 103/94 Type	kg	%	kg	%	kg	%	kg	%	kg	%	kg	%	kg	%	kg	%	kg	%	kg	%	kg	%	kg	%
Non-Recyclable	3.95	3.65%	0.02	0.01%	0.12	0.11%	3.67	3.39%	0.02	0.01%	0.03	0.03%	1.38	1.27%	19.36	17.88%	13.31	12.29%	0.62	0.57%	1.73	1.60%	44.20	40.82%
Paper Towels/Compostable Fibres	3.18	2.94%					1.78	1.64%			0.01	0.01%	0.12	0.11%	7.07	6.53%	4.68	4.32%	0.18	0.17%	1.30	1.20%	18.32	16.92%
Organics	0.01	0.01%					0.01	0.01%					0.74	0.68%	6.69	6.18%	4.35	4.02%	0.32	0.30%	0.01	0.00%	12.13	11.20%
LDPE (#4) Plastic Films	0.53	0.49%	0.01	0.00%	0.12	0.11%	0.88	0.81%	0.01	0.00%	0.02	0.02%	0.32	0.30%	3.91	3.61%	3.82	3.53%	0.10	0.09%			9.71	8.97%
Non-Recyclables	0.18	0.17%					0.92	0.85%					0.20	0.18%	1.44	1.33%	0.43	0.40%	0.01	0.01%	0.01	0.01%	3.19	2.95%
Diapers	0.00	0.00%					0.00	0.00%							0.00	0.00%	0.00	0.00%			0.40	0.37%	0.40	0.37%
Polystyrene #6	0.01	0.01%	0.01	0.01%			0.01	0.01%	0.01	0.01%					0.14	0.13%	0.01	0.01%	0.01	0.01%	0.01	0.01%	0.21	0.19%
Cold Beverage Wax-Lined Paper Cups	0.04	0.04%					0.06	0.06%							0.10	0.09%	0.00	0.00%					0.20	0.18%
PPE	0.00	0.00%					0.01	0.00%							0.01	0.01%	0.01	0.01%			0.01	0.00%	0.03	0.03%
Plastic Strapping	0.00	0.00%					0.00	0.00%							0.00	0.00%	0.01	0.01%					0.01	0.01%
Styrofoam	0.00	0.00%					0.00	0.00%							0.00	0.00%	0.00	0.00%					0.00	0.00%
Mandatory Recyclable	12.17	11.24%	0.21	0.19%	6.30	5.82%	11.21	10.35%	0.21	0.19%	0.40	0.37%	0.32	0.30%	1.17	1.08%	1.58	1.46%	0.01	0.01%	0.01	0.01%	33.59	31.02%
Fine Paper	11.11	10.26%			6.28	5.80%	1.43	1.32%			0.40	0.37%	0.01	0.01%	0.48	0.44%	0.88	0.81%			0.01	0.01%	20.60	19.03%
Glass	0.00	0.00%	0.20	0.18%			5.82	5.38%	0.20	0.18%			0.26	0.24%	0.50	0.46%	0.52	0.48%					7.50	6.93%
Aluminum	0.01	0.01%	0.01	0.01%			2.76	2.55%	0.01	0.01%			0.05	0.05%	0.19	0.18%	0.18	0.17%	0.01	0.01%			3.22	2.97%
Cardboard	1.05	0.97%			0.02	0.02%	0.90	0.83%							0.00	0.00%	0.00	0.00%					1.97	1.82%
Steel Cans	0.00	0.00%					0.30	0.28%							0.00	0.00%	0.00	0.00%					0.30	0.28%
Other Recyclable	7.67	7.08%	0.03	0.03%	0.84	0.78%	9.42	8.70%	0.03	0.03%	0.04	0.03%	1.11	1.03%	5.55	5.13%	5.77	5.33%	0.03	0.02%	0.02	0.01%	30.48	28.16%
Boxboard	3.69	3.41%			0.66	0.61%	0.01	0.01%			0.01	0.01%	0.38	0.35%	2.69	2.48%	1.90	1.75%			0.01	0.01%	9.35	8.64%
PET #1	0.00	0.00%	0.01	0.01%			5.06	4.67%	0.01	0.01%	0.01	0.01%	0.40	0.37%	0.67	0.62%	1.12	1.03%					7.28	6.72%
Kraft Paper/Other Fibres	3.85	3.56%			0.02	0.02%	0.01	0.00%			0.01	0.01%	0.01	0.01%	0.20	0.18%	0.91	0.84%	0.01	0.00%			5.01	4.63%
PP #5	0.01	0.01%	0.01	0.01%			2.64	2.44%	0.01	0.01%			0.20	0.18%	0.52	0.48%	0.65	0.60%	0.01	0.01%			4.05	3.74%
Gable Top Containers	0.01	0.01%	0.01	0.01%			0.80	0.74%	0.01	0.01%					0.29	0.27%	0.30	0.28%					1.42	1.31%
Coffee Cups	0.10	0.09%			0.16	0.15%	0.28	0.26%					0.10	0.09%	0.30	0.28%	0.18	0.17%	0.01	0.01%			1.13	1.04%
HDPE Plastic Containers #2	0.00	0.00%					0.01	0.01%					0.01	0.01%	0.43	0.40%	0.40	0.37%					0.85	0.79%
Other Plastics #7	0.00	0.00%					0.16	0.15%							0.40	0.37%	0.00	0.00%					0.56	0.52%
Aseptic Containers	0.01	0.01%					0.44	0.41%			0.01	0.01%	0.01	0.01%	0.01	0.01%	0.00	0.00%					0.48	0.44%
Textiles	0.00	0.00%					0.00	0.00%			ľ				0.00	0.00%	0.30	0.28%					0.30	0.28%
Composite Cans	0.00	0.00%					0.00	0.00%							0.04	0.04%	0.00	0.00%					0.04	0.04%
Moulded Pulp	0.00	0.00%					0.01	0.01%							0.00	0.00%	0.01	0.01%			0.01	0.00%	0.02	0.02%
Total	23.79	21.97%	0.25	0.23%	7.26	6.71%	24.29	22.43%	0.25	0.23%	0.47	0.43%	2.81	2.60%	26.08	24.09%	20.66	19.08%	0.66	0.60%	1.76	1.62%	108.27	100.00%

Appendix D: Estimated Annual Quantities Generated and Capture Rates by Material

Divertible Material	Total Generated (MT)	Diverted Through Red Box Program (MT)	Diverted Through Blue Box Program (MT)	Total Diverted (MT)	Landfill Quantity (MT)	Capture Rate
Leamington District Secondary School	21.00	6.07	4.85	10.92	10.08	52.01%
Non-Recyclable	8.57	0.79	0.72	1.51	7.06	17.64%
Paper Towels/Compostable Fibres	3.55	0.62	0.35	0.96	2.59	27.13%
Organics	2.35	0.00	0.00	0.00	2.35	0.16%
LDPE (#4) Plastic Films	1.88	0.13	0.18	0.30	1.58	16.07%
Non-Recyclables	0.62	0.03	0.18	0.21	0.41	34.48%
Diapers	0.08	0.00	0.00	0.00	0.08	0.00%
Polystyrene #6	0.04	0.00	0.00	0.01	0.03	19.05%
Cold Beverage Wax-Lined Paper Cups	0.04	0.01	0.01	0.02	0.02	50.00%
PPE	0.01	0.00	0.00	0.00	0.00	16.67%
Plastic Strapping	0.00	0.00	0.00	0.00	0.00	0.00%
Styrofoam	0.00	0.00	0.00	0.00	0.00	0.00%
Bubble Wrap/Shrink Wrap	0.00	0.00	0.00	0.00	0.00	0.00%
Scrap Metal	0.00	0.00	0.00	0.00	0.00	0.00%
Scrap Wood	0.00	0.00	0.00	0.00	0.00	0.00%
Mandatory Recyclable	6.52	3.62	2.29	5.92	0.60	90.80%
Fine Paper	4.00	3.37	0.36	3.73	0.27	93.30%
Glass	1.46	0.04	1.17	1.21	0.25	82.93%
Aluminum	0.62	0.00	0.54	0.54	0.08	86.65%
Cardboard	0.38	0.21	0.17	0.38	0.00	100.00%
Steel Cans	0.06	0.00	0.06	0.06	0.00	100.00%
Newspaper	0.00	0.00	0.00	0.00	0.00	0.00%
Other Recyclable	5.91	1.66	1.84	3.50	2.42	59.10%
Boxboard	1.81	0.84	0.00	0.85	0.97	46.74%
PET #1	1.41	0.00	0.99	0.99	0.42	69.91%
Kraft Paper/Other Fibres	0.97	0.75	0.00	0.75	0.22	77.54%
PP #5	0.79	0.00	0.51	0.52	0.27	65.93%
Gable Top Containers	0.27	0.00	0.16	0.16	0.11	58.33%
Coffee Cups	0.22	0.05	0.05	0.10	0.11	47.79%
HDPE Plastic Containers #2	0.16	0.00	0.00	0.00	0.16	1.18%
Other Plastics #7	0.11	0.00	0.03	0.03	0.08	28.57%
Aseptic Containers	0.09	0.00	0.09	0.09	0.00	95.82%
Textiles	0.06	0.00	0.00	0.00	0.06	0.00%
Composite Cans	0.01	0.00	0.00	0.00	0.01	0.00%
Moulded Pulp	0.00	0.00	0.00	0.00	0.00	45.45%
Batteries	0.00	0.00	0.00	0.00	0.00	0.00%
Electronic Waste	0.00	0.00	0.00	0.00	0.00	
Lightbulbs	0.00	0.00	0.00	0.00	0.00	
Printer Toners	0.00	0.00	0.00	0.00	0.00	
Total	21.00	6.07	4.85	10.92	1	

Appendix E: Site Photographs



Site Tour - typical red box, blue box and garbage receptacles in classrooms



Site Tour - typical garbage receptacle in classroom



Site Tour - typical garbage receptacle in hallways



Site tour - typical Blue Box and Red Box receptacles in hallways



Waste audit - paper towels in the garbage stream in the classroom



Waste audit - organics in the garbage stream in the classroom





Waste audit - fine paper in the Red Box in the classrooms



Waste audit - boxboard in the garbage streams in the cafeteria, classrooms and hallways



Waste audit - PET #1 in the Blue Box in the classrooms



Waste audit - aluminum in the garbage stream



Waste audit - LDPE #2 plastic in garbage stream in the cafeteria and outside garbage receptacles

Appendix F: School Calendar

22 23₄ 24₅ 25₁ 26₂ 27₃ 28 27 28₂ 29₃ 30₄ 31₅

Greater Essex County District School Board



Student Calendar 2024-2025

Elementary and Secondary

										Photo Stade	Orcoronal and	energy and come		ASALWA DOSAN	CONTRACTOR OF THE STATE OF THE	707000000000	COME O										
	Elementary and Secondary PA Days							Secondary Only PA Days								Holidays											
		EI	eme	ntary	Onl	y PA [Days				Exa	am Da	ays (C	Grade	es 9-1	.2)						Brea	k				
		SEF	TEM	BER					0	стов	ER					NC	VEIM	BER					DE	СЕМЕ	BER		
S							S	M	T	W	T	F	S	s	M	Т	W	т	F	S	S	M	T	W	T	F	
25	26	27	28	29	30	31			15	21	32	43	5						11	2	1	21	32	43	54	65	7
1	2	31	42	53	64	7	6	74	85	91	102	11	12	3	42	53	64	75	81	9	8	91	102	113	124	135	1

8 9₅ 10₁ 11₂ 12₃ 13₄ 14 13 14 15₃ 16₄ 17₅ 18₁ 19 10 11₂ 12₃ 13₄ 14₅ 15 16 15 16₁ 17₂ 18₃ 19₄ 20₅ 21 15 16₅ 17₁ 18₂ 19₃ 20 21 20 21₂ 22₃ 23₄ 24₅ 25₁ 26 17 18₁ 19₂ 20₃ 21₄ 22₅ 23 22 23 24 25 26 27 28

24 25₁ 26₂ 27₃ 28₄ 29₅ 30 29 30 31

29 304

		J#	NUA	RY					FE	BRUA	RY					N	AARC	Н						APRII			
s	M	T	W	T	F	S	S	M	т	w	T	F	S	S	M	T	W	T	F	S	S	M	Т	w	T	F	S
			1	2	3	4							1							1			14	25	31	42	5
5	61	72	83	94	105	11	2	35	41	52	63	74	8	2	33	44	5 ₅	61	72	8	6	7 3	84	95	101	112	12
12	131	142	153	164	17	18	9	10 ₅	111	122	133	14	15	9	10	11	12	13	14	15	13	143	154	165	171	18	19
19	20 _s	211	222	233	244	25	16	17	184	195	201	212	22	16	173	184	195	201	21 ₂	22	20	21	222	239	244	255	26
26	275	281	292	303	314		23	24g	254	26 5	271	282		23	243	254	26 ₅	271	28 2	29	27	281	292	303			i.
														30	313												

			May				June								
S	M	T	W	T	F	S	S	M	T	W	T	F	S		
				14	25	3	1	25	3 ₁	42	53	6	7		
4	51	62	73	84	95	10	8	94	105	111	122	139	14		
11	121	132	143	154	165	17	15	164	175	181	192	203	21		
18	19	20 1	212	223	234	24	22	234	245	251	262	27	28		
25	265	271	282	293	304	31	29	30							

	Impor	tant Dates						
First Day of Classe	5	September 3rd June 26th Large numbers in black Small numbers in black						
Last Day of Classe	•							
194 Instructional I	Days							
Elementary 5 Day	Cycle (1-5)							
Elem. and Sec. PA Days	Elementary PA Days	Secondary PA Days	Exam Days (Grades 9-12)					
September 20th	January 17th	January 31st	January 24th —30th					
October 11th	June 6th	April 25th	June 20th—26th					
November 15th								
c L								



Building Tomorrow Together

Holidays and Breaks									
Labour Day	September 2nd	March Break	March 10th—14th						
Thanksgiving	October 14th	Good Friday	April 18th						
Holiday Break	Dec. 23rd—Jan. 3rd	Easter	April 21st						
Family Day	February 17th	Victoria Day	May 19th						

Leamington District Secondary School 2024 Waste Audit Report

Appendix G: Waste Audit and Reduction Work Plan